

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
100 DC	Draw Nbr Revision Nbr D412-786-1 D	MAY 10 2017					DAS 28 9-89	MAY 24 2017	
Doc.Control -USB or Paperwork	Document Control	0.00				4			
	DOCUMENT CONTROL								
	Memo	0.00							
	Photocopy bluefile and create labels per PPP D412-786-025 chg002								
110 Packaging	Pick Kit	0.00				X MAY 10 2017			DAS 27 9-89
Packaging									
	Memo	0.00							
120 QC	QC4- 100% Inspect kits for completeness	0.00				4	DAS 28 9-89	MAY 24 2017	
Quality Control									
	Memo	0.00							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

Work Order ID 160880

Friday, May 05, 2017 9:09:03 AM

160880

Page 2

Item ID: D412-786-025

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Tailboom Mount

Start Date: 5/16/2017 Start Qty: 4.00

4

Cust Item ID:

Required Date: 5/23/2017 Req'd Qty: 4.00

4

Customer:

Reference: SCHEDULED/C

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00				4	DAS 28 9-89	MAY 24 2017	
130									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D412-786-025 Location : FG122								
	PPP160848								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

DAS
21
9-89

MAY 24 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Friday, May 05, 2017 9:09:03 AM

Page 1

Work Order ID: 160880

160880

Parent Item: D412-786-025

D412-786-025

Parent Item Name: Tailboom Mount

Start Date: 5/16/2017

Required Date: 5/23/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A NEW ISSUE 13-10-30 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
NAS1149D0332J		Purchased	No			110	Each	1,631.000	24	96			

NAS1149D0332.J

Washer

Location	Loc Qty	Loc Code
FP	260	
m136015	8	
m137075	252	
FP001	7	
m137075	7	
GA	364	
m136643	364	
ST264	1000	
m136015	0	
m137412	1000	

MAY 11 2017

DAS
27
9-89

D4950-041

Manufactured No

D4950-041

Tailboom Mount

D4950-043

Manufactured No

D4950-043

Tailboom Mount

**

1

4

**

2

8

MAY 21 2017

DAS
27
9-89

MAY 24 2017

DAS
27
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐								
		OTHER : ☐							

Picklist Print

Friday, May 05, 2017 9:09:03 AM

Work Order ID: 160880

160880

Parent Item: D412-786-025

D412-786-025

Parent Item Name: Tailboom Mount

Start Date: 5/16/2017

Required Date: 5/23/2017

Start Qty: 4.00

Required Qty: 4.00

MS21042L3

Purchased

No

110

Each

1,508.000

12

48

MS21042L3

Nut

**

MAY 11 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

FP001

91

m135945

91

GA

464

m134360

102

M136665

362

ST303

953

m137073

11

m137166

3

m137321

939

48

MS27039-1-11

Purchased

No

110

Each

79.0000

12

48

MS27039-1-11

Screw

**

MAY 11 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

8

9662

8

ST280

71

m135978

71

48

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
T-0564C1									
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : _____									

REFERENCE ONLY



D412-786-011/-021 HARDPOINT KIT

QTY -011	QTY -013	QTY -015	QTY -021	QTY -025	PART NUMBER	DESCRIPTION
X					D412-786-011	HARDPOINT KIT
1	X		1		D412-786-013	FWD HARDPOINT KIT
1		X			D412-786-015	TAILBOOM MOUNT KIT
			X		D412-786-021	HARDPOINT KIT
			1	X	D412-786-025	TAILBOOM MOUNT KIT
		1			D3866-041	TAILBOOM MOUNT
		2			D3866-043	TAILBOOM MOUNT
1					D3870-041	FWD LH HARDPOINT
1					D3870-042	FWD RH HARDPOINT
1					D3870-5	FWD UPPER HARDPOINT
1					D3871-1	DOUBLER
1					D3871-2	DOUBLER
				1	D4950-041	TAILBOOM MOUNT
				2	D4950-043	TAILBOOM MOUNT
10	12		12		MS21042L3	NUT
8	12		12		MS27039-1-11	SCREW
1					MS27039-1-12	SCREW
1					MS27039-1-14	SCREW
10	24		24		NAS1149D0332J	WASHER

NOTES:

- 1) D412-786-011/-021 HARDPOINT KIT REQUIRED ON 412/412EP AIRCRAFT UTILIZING D412-695-011 BLADE FOLDING KIT WHERE WIRE STRIKE COMPATABILITY IS REQUIRED
- 2) D412-786-021 HARDPOINT KIT REQUIRED ON AIRCRAFT EQUIPPED WITH BLR TAILBOOM STRAKE KIT
- 3) TOUCH UP ALL DRILLED HOLES AND TRIMMED ALUMINUM PARTS WITH ALODINE 1201. THEN PRIMER PER THE AIRCRAFT MAINTENANCE MANUAL
- 4) TORQUE FASTENERS AS FOLLOWS: 10-32; 20-25 IN-LBS
- 5) PRIME AND PAINT HARDPOINTS TO MATCH AIRCRAFT PAINT SCHEME PER AIRCRAFT MAINTENANCE MANUAL

RELEASED
2016-09-09
ENR-691

DESIGN	HS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	MB	DRAWING NO.	REV. D
MFG. APPR.	N/A	D412-786-1	SHEET 1 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.	N/A	HARDPOINT KIT INSTALL	NTS
DATE	16.06.07	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	